

Notice of Allowability

Application No.

10/601,572

Examiner

Patrick G Wamsley

Applicant(s)

HATTORI, SHINJI

Art Unit

2819

-- **Th MAILING DATE of this communication appears on the cover sheet with the correspond nce address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to a paper filed on 04/19/2004.
2. ☒ The allowed claim(s) is/are 1-10.
3. ☒ The drawings filed on 24 June 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 06/24/2003
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

REASONS FOR ALLOWANCE

Election of Species

Applicant's election without traverse of claims 1-4 in the reply filed on 04/19/2004 is acknowledged. As generic claim 1 has been allowed, the election of species requirement is hereby withdrawn.


Allowable Subject Matter

Claims 1-10 are allowed.

The following is an examiner's statement of reasons for allowance: the references of record neither reveal nor render obvious the recited combination including use of a parallel to serial converter having two separate data streams to generate a shift clock signal in the recited manner. U.S. Patent 6,335,696 to Aoyagi et al provides positive [3] and negative [5] parallel data to a converter [8] but doesn't use the serial data to generate a clock signal. U.S. Patents 4,418,418 to Aoki, 5,247,652 to Uda, 5,982,309 to Xi et al, and 6,169,500 to Eriksson et al all describe various parallel to serial converter circuits. EP 397,358 to Uda describes a parallel to serial converter having timing and shift clock pulses, but doesn't generate a clock in the recited way.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick G. Wamsley whose telephone number is (571) 272-1814. Send facsimiles to **(703) 872-9306**


Patrick G. Wamsley

June 10, 2004